



# CHHATISGARH ENVIRONMENT CONSERVATION BOARD

## Form IV (See Rule 13)

### ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF),or common bio-medical waste treatment facility (CBWTF)]

Return No : 19171302

Period : 1.1.2024 to 31.12.2024

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	Vipin Malik
(ii) Name of HCF or CBMWTF:	V M TECHNO SOFT PVT LTD
(iii) Address for Correspondence:	G-3 Sector 1 Avanti Vihar
(iv) Address of Facility:	KHASRA 1/23, HALKA NUMBER 31, VILLAGE BHITTHIKALA, TEHSIL AMBIKAPUR, DISTRICT SURGUJA, CHHATTISGARH
(v) Tel. No.:	9425505808
(vi) Fax. No.:	00 - 00
(vii) E-mail ID:	vipinmalik@vmtspl.com
(viii) URL of Website:	<a href="https://www.vmtspl.com/">https://www.vmtspl.com/</a>
(ix) GPS coordinates of HCF of CBMWTF:	23.09310 83.14783
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handing) Rules:	Authorization No.: 1035/BMW/HO/CECB/2023 Valid Upto: 27/04/2026
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 30/09/2028
2. Type of Health Care Facility	
HCF/CBMWTF Type:	CBMWTF
(i) Number healthcare facilities covered by CBMWTF:	163
(ii) No. of beds covered by CBMWTF:	4090
(iii) Installed treatment and disposal capacity of CBMWTF:	8000
(iv) Quantity of BMW treated or disposal by CBMWTF:	340008
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 224759 Red Category: 66110 White Category: 635 Blue Category: 48505 General Solid Waste: 0
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 924 Capacity: 18000 Provision of on-site storage: Separate storage for colour coded bags and also for plastic, glass etc.

<b>(ii) Disposal Facility:</b>	<table border="1"> <thead> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity(Kg/day)</th> <th>Quantity Treated or Disposed(Kg/annum)</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>1</td> <td>4000</td> <td>224759</td> </tr> <tr> <td>Autoclaves</td> <td>1</td> <td>4000</td> <td>114615</td> </tr> <tr> <td>Shredder</td> <td>1</td> <td>2000</td> <td>66110</td> </tr> <tr> <td>Chemical disinfection (ETP/STP)</td> <td>1</td> <td>200</td> <td>48505</td> </tr> </tbody> </table>	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	Incinerators	1	4000	224759	Autoclaves	1	4000	114615	Shredder	1	2000	66110	Chemical disinfection (ETP/STP)	1	200	48505
	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)																	
	Incinerators	1	4000	224759																	
	Autoclaves	1	4000	114615																	
	Shredder	1	2000	66110																	
Chemical disinfection (ETP/STP)	1	200	48505																		
<b>(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:</b>	88196																				
<b>(iv) No of vehicles used for collection and transportation of BMW:</b>	05																				
<b>(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum</b>	<table border="1"> <thead> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td>Ash</td> <td>7399</td> <td>sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.</td> </tr> <tr> <td>ETP Sludge</td> <td>4843</td> <td>sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.</td> </tr> </tbody> </table>	Type of waste	Quantity Generated	Where disposal	Ash	7399	sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.	ETP Sludge	4843	sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.											
	Type of waste	Quantity Generated	Where disposal																		
Ash	7399	sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.																			
ETP Sludge	4843	sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.																			
<b>(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:</b>																					
<b>5. Do you have BMW management committee:</b>	no																				
<b>6. Training Conducted on BMW Details</b>																					
<b>(i) Number of training conducted on BMW Management:</b>	0																				
<b>(ii) Number of personnel trained:</b>	0																				
<b>(iii) Number of personnel trained at the time of induction:</b>	0																				
<b>(iv) Number of personnel not undergone any training so far:</b>	0																				
<b>(v) Whether standard manual for training is available:</b>	yes																				
<b>(vi) Any other information:</b>																					
<b>7. Details of the accident occurred</b>																					
<b>(i) No. of accident occurred:</b>	0																				
<b>(ii) Number of the persons affected:</b>	0																				
<b>(iii) Remedial Action taken:</b>	0																				
<b>(iv) Any Fatality occurred, details:</b>	0																				

<b>8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:</b>	<i>Yes meeting the standards of air Pollution from the incinerator</i>
<b>Details of Continuous online emission monitoring systems installed:</b>	<i>We installed online emission monitoring system, meeting all the standards, and connected to CPCB server Stack_1_Incinerator</i>
<b>9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:</b>	<i>We have installed ETP, and plant has zero liquid discharge.</i>
<b>10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:</b>	<i>Yes disinfection method or sterilization meeting the standards</i>
<b>11. Any other relevant information:</b>	<i>Packed scrubber and venturi scrubber attached with secondary chamber, it reduces amount of particulate matter</i>

**Name and Signature of the Head of the Institution**

**Date :**18/05/2025

**Place :** SARGUJA